

Appendix 1. List of all bird species recorded on the Rio Branco and some of its tributaries, including conservation and migratory status, general distribution pattern, habitats, localities, and documentation. Species order, taxonomy and species nomenclature follow the Brazilian Ornithological Records Committee (Piacentini 2015).

| Family and species | Status | Distribution | Habitats | Localities | Doc | Photographs | Audio recordings |
|----------------------------------|--------|--------------|----------|------------------------------------|-------|-------------|------------------|
| TINAMIDAE | | | | | | | |
| <i>Tinamus major</i> | NT | TF | Tr | RB1; Aja | | | |
| <i>Crypturellus cinereus</i> | | L | VF | RB1,5-8; Aja | R | | LNN2013RB-351 |
| <i>Crypturellus soui</i> | | DD | Tr | RB4 | | | |
| <i>Crypturellus undulatus</i> | | W | VF | UR1-3; RB2,6,7,9-12 | R | | LNN2012RB156 |
| ANATIDAE | | | | | | | |
| <i>Dendrocygna viduata</i> | | DD | W | Boa Vista | P | WA3042733 | |
| <i>Dendrocygna autumnalis</i> | | U | W | UR1-3 | P | WA3133369 | |
| <i>Neochen jubata*</i> | NT | W | W B | RB2,5,7,9-11; Cat | R P | WA1256437 | XC138968 |
| <i>Cairina moschata*</i> | | W | W B | UR1-3; RB1-3,5,6,12;TAC;Cat;Xer | P | WA1251769 | |
| CRACIDAE | | | | | | | |
| <i>Aburria cumanensis*</i> | | L | VF | UR3; RB 5,8,10,12 | P | WA1218882 | |
| <i>Ortalis motmot</i> | | W | RF GF VF | UR1-3; RB3,5,6,8,12;Muc | R P | WA283322 | LNN2012RB-19 |
| <i>Crax alector</i> | VU | TF | Tr | RB12 | | | |
| <i>Pauxi tomentosa*</i> | NT | W | GF VF Ig | Ur2;TAC;RB1,5-7,9-12,Cat;Xer | R P | WA1252588 | LNN2012RB-176 |
| ODONTOPHORIDAE | | | | | | | |
| <i>Odontophorus gujanensis</i> | | TF | Tr | RB10 | | | |
| CICONIIDAE | | | | | | | |
| <i>Ciconia maguari</i> | | DD | B | RB1 | P | WA2747687 | |
| <i>Jabiru mycteria</i> | | W | B | Ur1;RB2,5,6 | P | WA825598 | |
| <i>Mycteria americana</i> | | DD | W | Ur2;Muc | P | A2847424 | |
| PHALACROCORACIDAE | | | | | | | |
| <i>Phalacrocorax brasilianus</i> | | W | W | Ur1,2;RB1,5,8,10,11;Xer | P | WA1277413 | |
| ANHINGIDAE | | | | | | | |
| <i>Anhinga anhinga</i> | | W | W | Ur1-3;TAC;RB1,3,5,6,10;Muc;Cat;Aja | P | WA17675 | |
| ARDEIDAE | | | | | | | |
| <i>Tigrisoma lineatum</i> | | DD | W | Ur2;RB5 | P | WA799247 | |
| <i>Agamia agami</i> | VU | DD | W VF Ig | RB11;Aja | R P S | WA1255535 | ML236786 |
| <i>Cochlearius cochlearius</i> | | DD | W VF | RB11 | | | |
| <i>Zebrilus undulatus</i> | NT | DD | W VF | RB5,6,12 | S | | |
| <i>Nycticorax nycticorax</i> | | DD | W | Ur1 | P | WA2647195 | |
| <i>Butorides striata</i> | | L | W | Ur3;RB3-7,9-12;Cat;Xer,Aja | P S | WA197826 | |
| <i>Bubulcus ibis</i> | | W | W | Ur1-3;RB5,9,10 | P | WA1220578 | |
| <i>Ardea cocoi</i> | | W | W B | Ur1-3;TAC;RB1-12;Cat;Xer | P | WA36746 | |
| <i>Ardea alba</i> | | W | W B | Ur1-3;TAC;RB1-3,5,9,10,12;Muc | P | WA2057169 | |
| <i>Pilherodius pileatus</i> | | W | W B | Ur1,3;RB1,2,4,5,7,10,11;Muc;Cat | P | WA852100 | |

| Family and species | Status | Distribution | Habitats | Localities | Doc | Photographs | Audio recordings |
|-----------------------------------|---------|--------------|--------------|-------------------------------------|-------|-------------|------------------|
| <i>Egretta thula</i> | | W | W B | Ur2;RB1,2,5,8,10;Muc | P | WA129341 | |
| <i>Egretta caerulea</i> | | DD | W B | Ur2 | P | WA1255534 | |
| THRESKIORNITHIDAE | | | | | | | |
| <i>Mesembrinibis cayennensis</i> | | W | W B RF VF Ig | Ur1-3;TAC;RB1-8,10,11;Muc;Cat;Xer | R P | WA1222763 | LNN2012RB38 |
| <i>Theristicus caudatus</i> | | U | W | Ur2,3;TAC;RB1,2 | P | WA815083 | |
| <i>Platalea ajaja</i> | | W | W B | Ur2;TAC;RB1-3,5,8,9,11 | P | WA2468323 | |
| CATHARTIDAE | | | | | | | |
| <i>Cathartes aura</i> | | W | B RF | Ur1-3;TAC;RB2-6,9,10,12;Muc;Xer;Aja | P | WA215666 | |
| <i>Cathartes burrovianus</i> | | DD | GF ant | TAC | P | WA1255492 | |
| <i>Cathartes melambrotus</i> | | L | Tr | Ur3;RB3,10,12;Muc;Aja | P | WA524054 | |
| <i>Coragyps atratus</i> | | W | B GF RF VF | Ur1,2;TAC;RB2-8,10,11;Muc | P | WA3133368 | |
| <i>Sarcoramphus papa</i> | | W | Tr | Ur2;RB12 | | | |
| PANDIONIDAE | | | | | | | |
| <i>Pandion haliaetus*</i> | NV | W | W B | Ur1,2;TAC;RB1-11;Muc | P | WA1256578 | |
| ACCIPITRIDAE | | | | | | | |
| <i>Leptodon cayanensis</i> | | U | GF | Ur1,2 | P | WA3133366 | |
| <i>Chondrohierax uncinatus</i> | | DD | VF | RB5 | P | WA781925 | |
| <i>Elanoides forficatus</i> | NV | DD | VF | RB6 | | | |
| <i>Gampsonyx swainsonii</i> | | U | GF | | P | WA3133363 | |
| <i>Accipiter superciliosus</i> | | DD | GF | Ur2 | P | WA942648 | |
| <i>Ictinia plumbea</i> | NV | W | GF VF | Ur1,3;RB6,9,10,12 | R P | WA410873 | WA360165 |
| <i>Busarellus nigricollis</i> | | W | W | Ur1;RB5,11 | P | WA1218883 | |
| <i>Helicolestes hamatus</i> | | DD | VF | | R P S | WA1222727 | WA1993170 |
| <i>Buteogallus schistaceus</i> | | DD | VF | RB5 | P | WA365142 | |
| <i>Heterospizias meridionalis</i> | | U | GF ant | Ur2;RB1 | R P | WA928128 | LNN2012RB-14 |
| <i>Urubitinga urubitinga</i> | | W | GF VF Ig | Ur1;TAC;RB3,4,6-10;Aja | R P | WA828497 | TOL_140405_05 |
| <i>Rupornis magnirostris</i> | | W | GF RF VF Ig | Ur1-3;TAC;RB3-12;Muc;Cat;Xer;Aja | P | WA1255539 | |
| <i>Geranospiza caerulescens</i> | | W | GF VF Ig | Ur2;RB1,5,9,10;Muc;Cat | R P | WA12421 | WA2522811 |
| <i>Buteo nitidus</i> | | W | GF RF VF | TAC;RB1,2,5;Muc | P | WA3133362 | |
| <i>Buteo brachyurus</i> | | DD | GF | Ur1;TAC | P | WA656134 | |
| <i>Buteo albonotatus</i> | | DD | GF | TAC | P | WA1260217 | |
| <i>Harpia harpyja</i> | NT (VU) | DD | VF Tr | | R | | TOL_131011_01 |
| <i>Spizaetus tyrannus</i> | | W | VF Tr | Ur1;RB1,5,11 | P | WA261943 | |
| <i>Spizaetus melanoleucus</i> | | DD | VF Tr | RB5 | | | |
| EURYPYGIDAE | | | | | | | |
| <i>Eurypyga helias</i> | | W | W RF VF Ig | Ur2,3;RB5,9;Cat | P | WA2519733 | ML236823 |
| ARAMIDAE | | | | | | | |
| <i>Aramus guarauna</i> | | DD | W RF | RB7,10,12 | P | WA19191 | |

| Family and species | Status | Distribution | Habitats | Localities | Doc | Photographs | Audio recordings |
|---------------------------------|--------|--------------|---------------|----------------------------------|-------|-------------|------------------|
| RALLIDAE | | | | | | | |
| <i>Aramides cajaneus</i> | | L | W RF | RB5,6,10,12 | S | | |
| <i>Laterallus exilis</i> | | DD | W RF | RB5,9 | R | | ML236797 |
| <i>Neocrex erythrops</i> | | DD | W S | RB5 | S | | |
| HELIORNITHIDAE | | | | | | | |
| <i>Heliornis fulica</i> | | L | W VF Ig | Ur3;TAC;RB3-5,10;Muc;Xer | R P S | WA1218890 | LNN2012RB-251 |
| CHARADRIIDAE | | | | | | | |
| <i>Vanellus cayanus</i> * | | W | B | RB1,2,4-12;Muc;Cat;Aja | R P S | WA1602042 | LNN2012RB-235 |
| <i>Vanellus chilensis</i> | | W | B | Ur1-3;RB7-9 | P | WA1999117 | |
| <i>Pluvialis dominica</i> * | NV | DD | B | RB5,11 | P S | WA1256434 | |
| <i>Charadrius collaris</i> * | | W | B | TAC;RB3-9,12;Muc | R P S | WA261939 | LNN2012RB44 |
| SCOLOPACIDAE | | | | | | | |
| <i>Actitis macularius</i> * | NV | W | B | Ur1-3,TAC;RB2,4,5,8-10 | P S | WA15157 | |
| <i>Tringa solitaria</i> | NV | L | B | RB5,7,9 | P S | WA1222724 | |
| <i>Tringa melanoleuca</i> | NV | W | B | RB3,5,6,9,11 | P | WA1252592 | |
| <i>Tringa flavipes</i> | NV | DD | B | RB | P | WA281359 | |
| <i>Calidris minutilla</i> * | NV | DD | B | RB5 | P S | WA15675 | |
| <i>Calidris fuscicollis</i> * | NV | DD | B | RB5 | P S | WA81937 | |
| <i>Calidris melanotos</i> * | NV | W | B | RB1,3,5-7;Aja | P S | WA866340 | |
| STERCORARIIDAE | | | | | | | |
| <i>Stercorarius parasiticus</i> | VAG | DD | B | | S | | |
| STERNIDAE | | | | | | | |
| <i>Sternula superciliaris</i> * | | W | W B | Ur1,2;RB1,3,5-9,11,12;Muc;Aja | R P S | WA93684 | LNN2012RB-164 |
| <i>Phaetusa simplex</i> * | | W | W B | Ur1-3;RB1-12;Muc;Xer;Aja | R P | WA2027622 | LNN2013RB-353 |
| RYNCHOPIDAE | | | | | | | |
| <i>Rynchops niger</i> * | | W | W B | TAC;RB1,3,5,7-12;Muc | R P S | WA343992 | LNN2014RB-74 |
| COLUMBIDAE | | | | | | | |
| <i>Columbina passerina</i> | | U | GF | Ur1,2;TAC;RB1 | | | |
| <i>Columbina talpacoti</i> | | DD | GF ant | TAC | | | |
| <i>Patagioenas speciosa</i> | | L | RF Ig | RB5-7,9,12;Muc;Cat;Aja | R S | | LNN2013RB-341 |
| <i>Patagioenas cayennensis</i> | | W | S GF RF VF Ig | Ur1-3;TAC;RB1-12;Muc;Cat;Xer;Aja | R P S | WA2787558 | ML236710 |
| <i>Patagioenas plumbea</i> | | L | VF Tr Ig | RB5-9;Cat;Xer;Aja | R S | | LNN2013RB-321 |
| <i>Patagioenas subvinacea</i> | NT | W | GF VF Tr | Ur2,3;RB1-3,5-12;Muc;Cat;Xer;Aja | P | WA865473 | |
| <i>Zenaida auriculata</i> | | DD | GF ant | Ur3;RB3 | P | WA311056 | |
| <i>Leptotila verreauxi</i> | | DD | GF | RB4 | P | WA377168 | |
| <i>Leptotila rufaxilla</i> | | W | S RF GF VF Ig | Ur1-3;RB1-7,9-11;Cat;Xer;Aja | R S | | LNN2012RB-234 |
| <i>Geotrygon montana</i> | | L | VF Tr | RB5,7,11 | S | | |
| OPISTHOCOMIDAE | | | | | | | |
| <i>Opisthocomus hoazin</i> * | | W | RF VF | Ur1,2;RB3,5,7,8;Cat;Aja | R P S | WA1248465 | LNN2012RB-240 |

| Family and species | Status | Distribution | Habitats | Localities | Doc | Photographs | Audio recordings |
|--|--------|--------------|------------|----------------------------|-------|-------------|------------------|
| CUCULIDAE | | | | | | | |
| <i>Coccyzus minima</i> | | L | S RF | RB3,5-7,11,12 | R P S | WA1221413 | ML236731 |
| <i>Piaya cayana</i> | | W | GF RF VF | Ur2,3;RB1,3-12;Muc;Cat;Aja | R P | WA294971 | LNN2012RB-09 |
| <i>Piaya melanogaster</i> | | TF | Tr | RB6;Cat | | | |
| <i>Coccyzus melacoryphus</i> | NV | DD | S RF VF Ig | Ur3;RB5,6,12 | S | WA410881 | |
| <i>Crotophaga major</i> | | W | S RF VF Ig | Ur2,3;RB2,4-12;Cat;Xer;Aja | R P S | WA816346 | TOL_100728_06 |
| <i>Crotophaga ani</i> | | W | S GF RF VF | Ur1;RB1,3,5-9,11;Muc | R P S | | LNN2012RB50 |
| <i>Tapera naevia</i> | | DD | GF S | Ur1,3;RB4 | P | WA2483685 | |
| TYTONIDAE | | | | | | | |
| <i>Tyto furcata</i> | | DD | GF ant | | P | WA219854 | |
| STRIGIDAE | | | | | | | |
| <i>Megascops choliba</i> | | W | GF VF Ig | Ur1;RB12 | P | WA1255511 | |
| <i>Pulsatrix perspicillata</i> | | DD | VF | RB5,6 | | | |
| <i>Glaucidium brasilianum</i> | | U | GF | Ur1,2;TAC;RB1 | P | WA630447 | |
| NYCTIBIIDAE | | | | | | | |
| <i>Nyctibius grandis</i> | | DD | VF | RB5,6 | | | |
| <i>Nyctibius griseus</i> | | DD | GF VF Ig | RB5 | | | |
| CAPRIMULGIDAE | | | | | | | |
| <i>Antrostomus rufus</i> | | DD | GF | Ur1 | | | |
| <i>Lurocalis semitorquatus</i> | | DD | VF | RB6 | | | |
| <i>Nyctiprogne leucopyga</i> | | W | W S RF Ig | Ur1-3;RB2,5,7,12;Xer | R S | WA1255536 | ML236793 |
| <i>Nyctiprogne latifascia</i> ³ | | DD | W Ig | Xer | R S | | ML236792 |
| <i>Nyctidromus albicollis</i> | | W | GF RF VF | Ur1,3;RB5;RB12 | P | WA2760512 | |
| <i>Hydropsalis climacocerca</i> * | | L | B S | RB5,7,9-12 | R P S | WA1256577 | ML236784 |
| APODIDAE | | | | | | | |
| <i>Chaetura cinereiventris</i> | | DD | VF Ig | RB5?,6,10;Xer | | | |
| <i>Chaetura brachyura</i> | | W | GF, VF | Ur2,3;RB1,2,4-12;Xer | P | WA1251772 | |
| <i>Tachornis squamata</i> | | U | GF, VF | Ur1-3;RB1-3,5;Muc | P S | WA2932283 | |
| TROCHILIDAE | | | | | | | |
| <i>Glaucis hirsutus</i> | | L | VF Tr | RB5,9,10 | S | | |
| <i>Threnetes leucurus</i> | | L | VF | RB7,12 | S | | |
| <i>Phaethornis rufurumii</i> | | W | GF VF | RB1,2,4-7,9,11,12;Aja | R S | | LNN2012RBf-15 |
| <i>Phaethornis ruber</i> | | L | VF Tr | RB6,8-12;Cat | R S | | LNN2001RB-12A |
| <i>Phaethornis superciliosus</i> | | TF | Tr | RB5 | S | | |
| <i>Anthracothorax nigricollis</i> | | DD | Tr | RB2;Muc;Xer | P | WA1222521 | |
| <i>Chrysolampis mosquitus</i> | | W | VF Ig | RB5 | P | WA125306 | |
| <i>Chlorestes notatus</i> | | L | RF VF Ig | RB3,5,8-10;Cat;Xer;Aja | P S | WA1295743 | |
| <i>Chlorostilbon mellisugus</i> | | U | GF | Ur1,2;RB1;Cat | P S | WA817141 | |
| <i>Hylocharis cyanus</i> | | DD | Tr | RB6 | P | WA15676 | |
| <i>Amazilia versicolor</i> | | DD | VF | RB5 | R P S | WA18140 | LNN2013RB-356 |
| <i>Amazilia fimbriata</i> | | U | GF Ig | Ur1,2;TAC;RB1,10 | R P S | WA1295744 | TOL_140405_06 |

| Family and species | Status | Distribution | Habitats | Localities | Doc | Photographs | Audio recordings |
|----------------------------------|--------|--------------|-------------|----------------------------------|-------|-------------|------------------|
| <i>Heliothryx auritus</i> | | L | VF Tr | RB5,7,10,12 | S | | |
| <i>Heliomaster longirostris</i> | | U | GF RF | Ur2;RB1,3;Aja | P S | WA2467386 | |
| <i>Caliphlox amethystina</i> | | DD | GF | | P | WA2891567 | |
| TROGONIDAE | | | | | | | |
| <i>Trogon melanurus</i> | | L | Tr | RB10,12;Xer | S | | |
| <i>Trogon viridis</i> | | W | GF RF VF Ig | Ur1-3;RB1-12;Cat;Xer;Aja | P S | WA1504819 | |
| <i>Trogon violaceus</i> | | L | VF Tr Ig | RB5,7,11;Muc;Cat;Xer | P S | WA1221251 | |
| <i>Trogon rufus</i> | | TF | Tr | | | | |
| ALCEDINIDAE | | | | | | | |
| <i>Megaceryle torquatus</i> | | W | W | Ur1-3;TAC;RB1-12;Muc;Cat;Xer;Aja | R P S | WA152523 | LNN2013RB-338 |
| <i>Chloroceryle amazona</i> | | W | W | Ur2,3;TAC;RB1-12;Muc;Cat;Xer;Aja | R P | WA1552018 | LNN2012RB-18 |
| <i>Chloroceryle americana</i> | | W | W | Ur1,3;RB1-12;Cat;Xer;Aja | R P S | WA752444 | LNN2013RB-307 |
| <i>Chloroceryle inda</i> | | L | W VF | RB5,7,12;Cat | P | WA1222520 | |
| <i>Chloroceryle aenea</i> | | L | W VF | RB5,6,7,10;Xer | P S | WA1261648 | |
| MOMOTIDAE | | | | | | | |
| <i>Momotus momota</i> | | L | VF Tr | RB4,7,10 | P | WA866361 | |
| GALBULIDAE | | | | | | | |
| <i>Brachygalba lugubris</i> | | DD | GF | RB3 | | | |
| <i>Galbula ruficauda</i> | | U | GF | TAC | P | WA3133367 | |
| <i>Galbula galbula</i> | | W | GF RF VF Ig | Ur1-3;RB1-12;Muc;Cat;Xer;Aja | R P S | WA2382358 | ML236787 |
| <i>Galbula leucogastra</i> | | DD | Ig | Xer | P | WA410878 | |
| <i>Galbula dea</i> | | TF | Tr Ig | RB8 | S | | |
| BUCCONIDAE | | | | | | | |
| <i>Notharchus macrorhynchos</i> | | TF | Tr | RB6,7 | P S | WA1219068 | |
| <i>Notharchus tectus</i> | | W | GF VF | Ur2;RB3,5 | R P | WA197822 | TOL_140405_06 |
| <i>Bucco tamatia</i> | | W | GF VF Ig | Ur3;RB1-6,10,12;Muc;Xer | R P S | WA1216594 | ML236740 |
| <i>Monasa atra</i> | | W | GF VF Tr | Ur2,3;RB3-7,9,10;Cat;Aja | P R S | WA2863587 | TOL_140405_03 |
| <i>Monasa nigrifrons</i> | | L | VF | RB5,7-12;Cat;Xer | R P S | WA1221415 | ML236727 |
| <i>Chelidoptera tenebrosa</i> | | W | S RF ig | Ur2,3;RB3,5-12;Muc;Xer;Aja | R P S | WA1261647 | LNN2013RB-360 |
| CAPITONIDAE | | | | | | | |
| <i>Capito auratus</i> | | L | RF VF Tr | Ur3;RB10;Cat;Xer | R P S | WA1252589 | LNN2012RB-171 |
| RAMPHASTIDAE | | | | | | | |
| <i>Ramphastos toco</i> | | U | GF | Ur1-3 | P | WA1718675 | |
| <i>Ramphastos tucanus</i> | VU | L | VF Tr Ig | Ur3;RB3-12;Muc;Cat;Xer | P S | WA1222762 | LNN2013RB-306 |
| <i>Ramphastos vitellinus</i> | VU | L | Tr Ig | Ur3;RB3,5,7,9-12;Muc;Cat | S | | |
| <i>Pteroglossus viridis</i> | | TF | VF Tr | RB5 | S | | |
| <i>Pteroglossus flavirostris</i> | | L | VF | RB6;Cat;Aja | P S | WA1222750 | |
| <i>Pteroglossus aracari</i> | | L | VF Tr | RB5,7,9,10,12;Cat;Xer | S | | |
| PICIDAE | | | | | | | |

| Family and species | Status | Distribution | Habitats | Localities | Doc | Photographs | Audio recordings |
|---------------------------------|--------|--------------|-------------|------------------------------------|-------|--|------------------|
| <i>Picumnus exilis</i> | | L | VF Tr Ig | Ur3;RB3,7,10,12;Muc;Cat | P S | WA1218885 (undulatus) / WA1221412 (buffoni) | |
| <i>Picumnus spilogaster*</i> | VU | U | GF RF VF | Ur1,2;TAC;RB1,2,4,5 | P S | WA1520066 | |
| <i>Melanerpes cruentatus</i> | | W | GF RF VF | Ur1-3;RB1,3-5,7-12;Muc;Cat | P S | WA2386127 | |
| <i>Veniliornis cassini</i> | | W | Tr | Ur3;RB1,2,5 | | | |
| <i>Veniliornis passerinus</i> | | U | GF | Ur1-3;TAC | P | WA397429 | |
| <i>Piculus flavigula</i> | | DD | VF Tr | RB5,10;Cat | R P S | WA1221258 | ML236706 |
| <i>Piculus capistratus</i> | | DD | VF | Xer | P | WA1221249 | |
| <i>Colaptes punctigula</i> | | W | GF RF VF | RB1,2,5,6,9,10,12 | R P S | WA1255509 | ML236711 |
| <i>Celeus grammicus</i> | | L | VF Tr | RB5,10,12;Cat;Xer | S | | |
| <i>Celeus elegans</i> | | L | VF Tr | RB5-7,11;Muc | P S | WA1255510 (jumanus) / WA1251801 (elegans) | |
| <i>Celeus flavus</i> | | W | VF Tr | Ur2,3;RB2,4,5,9-11;Muc;Cat;Xer;Aja | P S | WA1251802 | |
| <i>Celeus torquatus</i> | NT | L | VF Tr | Ur3;RB3;Xer;Aja | P | WA2028503 | |
| <i>Dryocopus lineatus</i> | | W | GF RF VF | Ur1-3;RB1-12;Muc;Cat;Xer;Aja | R P S | WA593330 | LNN2012RB-221 |
| <i>Campephilus rubricollis</i> | | TF | Tr | RB5 | R S | | ML236730 |
| <i>Campephilus melanoleucos</i> | | W | GF RF VF Ig | Ur2,3;RB1,3,5-7,9-12;Muc;Cat;Xer | P | WA1579878 | ML236794 |
| FALCONIDAE | | | | | | | |
| <i>Daptrius ater</i> | | L | B RF VF Ig | RB3,5,6,8-11;Muc;Cat;Xer;Aja | P | WA866606 | |
| <i>Ibycter americanus</i> | | L | VF Tr | Ur2?;RB5-12;Cat | R S | | LNN2012RB55 |
| <i>Caracara cheriway</i> | | U | B GF RF | Ur1,2;TAC;RB1,2 | P | WA306701 | |
| <i>Milvago chimachima</i> | | W | GF RF Ig | Ur2,3;TAC;RB2,11,12;Xer | S | | |
| <i>Herpetotheres cachinmans</i> | | W | GF RF VF | Ur3;RB1,2,5,9,10,12 | P | WA433013 | |
| <i>Micrastur semitorquatus</i> | | W | VF Tr | Ur2,3;RB1,2,6,7,9,10 | R P | WA2114190 | TOL_100729_08 |
| <i>Falco rufigularis</i> | | W | GF VF Ig | Ur1,3;RB4-6,8-10;Cat;Xer | P S | WA1222754 | |
| <i>Falco deiroleucus</i> | NT | DD | VF | | P | WA1219070 | |
| <i>Falco peregrinus</i> | NV | U | Tr | Ur1,2;TAC;Muc | P | WA3133365 | |
| PSITTACIDAE | | | | | | | |
| <i>Ara ararauna</i> | | L | VF Tr Ig | Ur3;RB4-7,9-11;Cat | P | WA1381355 | ML236818 |
| <i>Ara macao</i> | | L | VF Tr | RB5,8,10;Cat | P | WA1551932 | ML236783 |
| <i>Ara chloropterus</i> | | L | VF Tr | RB3,7,8,10 | P | WA1551907 | |
| <i>Ara severus*</i> | | L | RF VF | Ur3;RB3-12;Cat;Aja | R P | WA1251770 | ML236760 |
| <i>Orthopsittaca manilatus</i> | | W | GF VF | Ur1-3;TAC;RB2,3,5?,6;Muc | P | WA3133364 | |
| <i>Diopsittaca nobilis</i> | | W | GF VF Ig | Ur1,2;RB8,10;Muc | P | WA38046 | |
| <i>Psittacara leucopthalmus</i> | | W | VF | Ur1?,3;RB4,7,9,11;Cat | P | WA1256433 | |
| <i>Eupsittula pertinax</i> | | U | GF Ig | Ur1-3;TAC;RB1,3,5;Aja | P S | WA2493038 | |
| <i>Pyrrhura picta</i> | | DD | Tr | Ur3 | | | |
| <i>Forpus passerinus</i> | | U | GF | Ur1;RB1,2 | P | WA2518237 | ML236774 |
| <i>Brotogeris chrysoptera</i> | | L | VF Tr Ig | RB3-11;Muc;Cat;Xer;Aja | R P S | WA1219052 | LNN2012RB-140 |
| <i>Touit purpuratus</i> | | DD | Tr | RB12 | S | | |
| <i>Pionites melanocephalus</i> | | DD | VF Tr | RB5 | R | | LNN2014-17 |
| <i>Pyrilia barrabandi</i> | NT | L | VF | RB7-12;Xer | R P S | WA1221250 | LNN2013RB-327 |
| <i>Pionus menstruus</i> | | W | VF Tr | RB1,3-12;Cat;Xer | P | WA1378705 | |
| <i>Pionus fuscus</i> | | DD | Tr | RB7 | | | |
| <i>Amazona festiva*</i> | NT | L | RF VF | RB3-12;Muc;Cat;Xer | R P S | WA1251771 | XC138940 |
| <i>Amazona farinosa</i> | | L | Tr | Cat;Aja; Xer | | | |

| Family and species | Status | Distribution | Habitats | Localities | Doc | Photographs | Audio recordings |
|-------------------------------------|---------|--------------|---------------|----------------------------------|-----------|-------------|------------------|
| <i>Amazona amazonica</i> | | W | GF RF VF | Ur1,2;TAC;RB1-12;Muc;Cat;Xer;Aja | P | WA762469 | |
| <i>Amazona ochrocephala</i> | | W | GF | Ur1-3;TAC;RB1,2,5;Muc;Aja | P S | WA852016 | |
| <i>Deropterus accipitrinus</i> | | L | VF Tr | RB8,9;Cat | R P S | WA1277426 | LNN2012RB-222 |
| THAMNOPHILIDAE | | | | | | | |
| <i>Pygiptila stellaris</i> | | L | VF Tr | RB4,5,9-11;Xer;Aja | R P S | WA1255483 | TOL_131003_00 |
| <i>Epinecrophyla gutturalis</i> | | DD | VF Tr | RB10 | S | | |
| <i>Myrmotherula brachyura</i> | | L | VF Tr | RB5-12;Muc;Xer;Aja | R S | | ML236815 |
| <i>Myrmotherula surinamensis</i> | VU | DD | Ig | RB5; Anaua | R P S | WA198618 | TOL |
| <i>Myrmotherula cherriei</i> | | DD | Ig | Xer | R P S | WA1221452 | ML236746 |
| <i>Myrmotherula klagesi</i> * | NT (VU) | L | VF | RB4-12;Cat | R P S | WA1255538 | ML236707 |
| <i>Myrmotherula axillaris</i> | | W | VF Tr Ig | RB2,5-7,9-11;Cat;Aja | R S | | TOL_131003_04 |
| <i>Myrmotherula menetriesii</i> | | L | Tr | Aja;Cat | | | |
| <i>Myrmotherula assimilis</i> * | | L | VF Ig | RB5,6,9-12;Cat;Xer;Aja | R P S | WA1255482 | ML236728 |
| <i>Formicivora grisea</i> | | U | GF Ig | Ur1,2;TAC;RB1,2 | P S | WA2358460 | |
| <i>Isleria guttata</i> | | TF | Tr | RB5 | R S | | LNN2012RB70 |
| <i>Thamnomanes caesius</i> | | L | VF Tr | RB5,6,10;Aja | R P S | WA1218881 | TOL_131003_04 |
| <i>Herpsilochmus dorsimaculatus</i> | | L | Tr Ig | RB5,7,8 | S | | |
| <i>Herpsilochmus rufimarginatus</i> | | W | VF Ig | Ur3;RB1-6;Muc;Aja | R P S | WA2550623 | ML236808 |
| <i>Sakesphorus canadensis</i> | | W | S GF RF VF Ig | Ur1-3;TAC;RB1-12;Muc;Cat;Xer;Aja | R P S | WA1863391 | ML236807 |
| <i>Thamnophilus doliatus</i> | | W | S GF RF Ig | Ur1;RB1-3,5,7;Muc | P S | WA1721969 | ML236801 |
| <i>Thamnophilus murinus</i> | | TF | Tr | Ur3;RB5,8 | S | | |
| <i>Thamnophilus nigrocinereus</i> * | NT | L | VF | RB3,5,7,10-12;Cat;Aja | R P S | WA1255481 | ML236780 |
| <i>Thamnophilus punctatus</i> | | W | Tr | Ur2,3;RB2-9 | P S | | |
| <i>Thamnophilus aethiops</i> | | TF | Tr | RB8 | R S | | TOL_131021_04 |
| <i>Thamnophilus amazonicus</i> | | L | VF Ig | RB4-8,10,12,Cat | R P S | WA1222725 | TOL_131004_04 |
| <i>Cymbilaimus lineatus</i> | | TF | Tr | RB5,8 | | | |
| <i>Taraba major</i> | | W | GF RF VF | Ur1-3;RB1-12;Muc;Cat | R P S | WA18048 | TOL_131008_06 |
| <i>Microrhopias quixensis</i> | | L | VF Tr | RB3-7,9,10,12 | R S | | TOL_100728_13 |
| <i>Frederickena viridis</i> | | TF | Tr | RB9 | R S | | TOL_131019_00 |
| <i>Hypocnemoides melanopogon</i> | | W | VF Ig | Ur3;RB2-12;Muc;Cat;Xer;Aja | R P S | WA1965079 | WA417140 |
| <i>Hylophylax punctulatus</i> * | | L | VF | RB5-7,10-12;Xer;Aja | R P S | WA1251803 | WA62901 |
| <i>Sclateria naevia</i> | | L | VF | RB4-6;Xer | R P S | WA261944 | XC138941 |
| <i>Myrmeciza longipes</i> | | U | GF | Ur3;RB1,4;Muc | R S | | WA360210 |
| <i>Myrmoborus leucophrys</i> | | W | GF VF | Ur3;RB1-12;Muc;Cat;Aja | R S | | LNN2012RBf-03 |
| <i>Myrmoborus lugubris</i> * | VU | L | RF VF | RB5-7,9,11,12 | R P S | WA1255512 | WA1276242 |
| <i>Percnostola rufifrons</i> | | L | Tr Ig | RB4-7,10,12 | R S | | TOL_131015_03 |
| <i>Cercomacra cinerascens</i> | | L | Tr | Ur3;RB3-5,7,8,10 | R S | | LNN2013RB-347 |
| <i>Cercomacra tyrannina</i> | | L | VF Tr | Ur3;RB3-6,8,10;Muc;Cat;Aja | R P S | WA2029820 | XC139258 |
| <i>Cercomacra laeta</i> | | L | Tr | RB2,5,7 | R P S | WA1255533 | WA417152 |
| <i>Cercomacra nigrescens</i> * | | L | VF | RB2,4-6,8-12 | | | |
| <i>Cercomacra carbonaria</i> * | CR | W | GF RF | Ur2-3;RB1-3,5-12 | R P S? | WA1967860 | WA2519880 |
| <i>Hypocnemis cantator</i> | | L | Tr | RB3,5-8,10 | R S | | LNN2012RB73 |
| <i>Hypocnemis flavescens</i> | | L | Tr | RB6-8 | S | | |
| <i>Pithys albifrons</i> | | TF | Tr | RB12 | R S | | TOL_131007_05 |
| <i>Willisornis poecilinotus</i> | | TF | Tr | RB8 | | | |
| <i>Gymnopithys rufigula</i> | | L | Tr | RB5-7,9 | R S | | TOL_131007_05 |

| Family and species | Status | Distribution | Habitats | Localities | Doc | Photographs | Audio recordings |
|--|---------|--------------|-------------|--|-------------|-----------------------|------------------|
| FORMICARIIDAE <i>Formicarius colma</i> | | L | VF Tr | RB4-6,9 | R P S | WA1255484 | XC139261 |
| DENDROCOLAPTIDAE <i>Dendrocincla fuliginosa</i> | | L | VF Tr | RB3,5-8,12 | P S | WA1222503 (phaeocroa) | |
| <i>Sittasomus griseicapillus</i> | | TF | Tr | RB5,6 | P | WA326406 | |
| <i>Glyphorhynchus spirurus</i> | | L | Tr | RB5,810,12 | S | | |
| <i>Xiphorhynchus pardalotus</i> | | TF | Tr | RB8,10 | S | | |
| <i>Xiphorhynchus obsoletus</i> | | L | RF VF Ig | RB3-12;Muc;Cat;Xer;Aja | R P S | WA1221257 | XC138982 |
| <i>Xiphorhynchus guttatus</i> | | W | GF VF Tr | Ur1-3;RB1-10,12;Muc;Cat;Xer;Aja | P S | WA2517310 | ML236824 |
| <i>Campylorhamphus trochilirostris</i> * | | L | VF | RB5,9-11;Xer | R P S | WA1221252 | TOL_131013_00 |
| | | W | GF RF Ig | Ur1,2;TAC;RB1,2,5,6,8-12;Muc;Cat;Xer;Aja | R P S | WA2517303 | WA1795264 |
| <i>Dendroplex picus</i> | | | | | | | |
| <i>Dendroplex kienerii</i> * | NT | L | RF VF Ig | RB5-12;Xer;Aja | R P S | WA1255491 | TOL_131004_03 |
| <i>Lepidocolaptes souleyetii</i> * | | U | GF | Ur1,2;TAC;RB1 | R P S | WA2471517 | TOL_140405_05 |
| <i>Nasica longirostris</i> * | | W | GF RF VF Ig | Ur1,2;RB1-7,9-12;Muc;Cat;Xer;Aja | R P S | WA856943 | XC139201 |
| <i>Dendrexetastes rufigula</i> | | TF | Tr | RB11 | | | |
| <i>Dendrocolaptes certhia</i> | | L | Tr | RB6,11 | R S | | LNN2012RB-183 |
| <i>Dendrocolaptes picumnus</i> | | DD | Tr | Ur3 | | | |
| XENOPIIDAE <i>Xenops minutus</i> | | L | VF Tr | RB6,10,11 | P S | WA1221453 | |
| FURNARIIDAE <i>Furnarius leucopus</i> * | | W | S GF RF | Ur1,2;TAC;RB1-12;Muc | R P S | WA1521206 | ML236769 |
| <i>Automolus rufipileatus</i> * | | L | VF | Ur3;RB3,5,7,8,10,12;Cat | R P S | WA411492 | WA417154 |
| <i>Automolus ochrolaemus</i> | | TF | Tr | RB7 | | | |
| <i>Anabacerthia ruficaudata</i> | | L | VF Tr | RB9,12 | P S | WA1216595 | |
| <i>Philydor pyrrhodes</i> | | L | VF Tr | RB6,7,10,12 | R P S | WA781991 | TOL_120924_04 |
| <i>Certhiaxis cinnamomeus</i> | | U | W S | Ur1,2 | R P S | WA2397941 | LNN2012RB9 |
| <i>Synallaxis albescens</i> | | U | GF S | Ur1,2;RB1,3 | R P | WA617127 | TOL_121203_01 |
| <i>Synallaxis rutilans</i> | | TF | Tr | RB6 | S | | |
| <i>Mazaria propinqua</i> * | | L | S | RB5-7,RB9-11 | R P S | WA866320 | XC138961 |
| <i>Synallaxis gujanensis</i> | | W | S RF VF | Ur3;RB2,3,5-12;Muc;Cat | R P S | WA1251773 | XC139211 |
| <i>Synallaxis kollari</i> * | CR (EN) | U | GF | Ur1,2;TAC | R P S | WA1267114 | WA2461892 |
| <i>Cranioleuca vulpina</i> | | W | S RF VF | Ur1,2;RB1,2,4-12;Muc;Cat;Xer;Aja | R P S | WA2522892 | ML236791 |
| <i>Cranioleuca gutturata</i> | | L | VF | RB5,7,9,10,12;Cat;Aja | R P S | WA1216705 | TOL_131003_04 |
| PIPRIDAE <i>Pipra filicauda</i> | | W | GF VF | RB2-7,9-12;Xer | R P S | WA2058797 | XC138911 |
| <i>Ceratopipra erythrocephala</i> | | L | Tr | RB6,10,12;Aja | R S | | LNN2012RB132 |
| <i>Manacus manacus</i> | | DD | Tr | Ur3 | | | |
| <i>Heterocercus flavivertex</i> | | L | Ig | RB5,7,10;Xer | R P S | WA410877 | WA417144 |
| <i>Dixiphia pipra</i> | | TF | Tr | RB8;Cat | S | | |
| <i>Chiroxiphia pareola</i> | | U | GF | RB1 | R P S | WA2028511 | WA2520844 |

| Family and species | Status | Distribution | Habitats | Localities | Doc | Photographs | Audio recordings |
|-----------------------------------|--------|--------------|---------------|----------------------------------|-------|-------------|------------------|
| ONYCHORHYNCHIDAE | | | | | | | |
| <i>Onychorhynchus coronatus</i> | | TF | Tr | RB5 | S | | |
| <i>Terenotriccus erythrurus</i> | | L | Tr | RB5,6 | R S | | TOL_131020_03 |
| <i>Myiobius sp</i> | | L | VF | RB5,11 | S | | |
| TITYRIDAE | | | | | | | |
| <i>Schiffornis major*</i> | | L | VF | RB4,5,7,9-12;Cat;Xer;Aja | R P S | WA781926 | XC138914 |
| <i>Laniocera hypopyrra</i> | | TF | Tr | | R S | | TOL_131021_10 |
| <i>Tityra inquisitor</i> | | W | RF VF | RB5?,9;Muc | P | WA1256438 | |
| <i>Tityra cayana</i> | | W | RF VF | RB1,2,5,6,8-10 | R P | WA1256581 | WA2532764 |
| <i>Pachyramphus rufus</i> | | W | GF RF | TAC;RB3-5,8-10,12;Cat | R P S | WA2476725 | ML236701 |
| <i>Pachyramphus polychopterus</i> | | W | GF RF VF | RB1-10,12;Cat | R P S | WA1222530 | TOL_121006_03 |
| <i>Pachyramphus marginatus</i> | | TF | Tr | RB5;Aja | | | |
| <i>Pachyramphus minor</i> | | DD | VF | RB9 | | | |
| COTINGIDAE | | | | | | | |
| <i>Lipaugus vociferans</i> | | W | Tr Ig | Ur2,3;RB3,5,7,11,12;Muc | S | | |
| <i>Gymnoderus foetidus</i> | | W | RF VF | Ur2,3;RB5,10;Cat;Aja | P | WA181280 | |
| <i>Xipholena punicea</i> | | TF | Tr | RB5 | | | |
| <i>Procnias albus</i> | | DD | Tr | RB6 | | | |
| <i>Cotinga cayana</i> | | TF | Tr Ig | | P | WA1219067 | |
| <i>Querula purpurata</i> | | L | VF Tr Ig | RB5,6 | R S | | LNN2014-17 |
| <i>Perissocephalus tricolor</i> | | DD | Tr | RB4 | | | |
| <i>Cephalopterus ornatus*</i> | | L | RF VF | RB4-6 | P S | WA1221449 | |
| PIPRITIDAE | | | | | | | |
| <i>Piprites chloris</i> | | TF | Tr | RB5 | | | |
| PLATYRINCHIDAE | | | | | | | |
| <i>Neopipo cinammomea</i> | | TF | Tr | RB8 | R P S | WA1222726 | LNN2013RB-362 |
| <i>Platyrinchus coronatus</i> | | TF | Tr Ig | RB5 | S | | |
| RHYNCHOCYCLIDAE | | | | | | | |
| <i>Mionectes oleagineus</i> | | L | VF | RB5-7,10-12;Xer | S | WA1222534 | |
| <i>Corythopsis torquatus</i> | | TF | Tr | RB8 | S | | |
| <i>Rhynchocyclus olivaceus</i> | | DD | Tr | RB6 | | | |
| <i>Tolmomyias sulphurescens</i> | | L | VF | Ur2;RB5,6,8-11;Cat | R P S | WA2542946 | WA2520849 |
| <i>Tolmomyias assimilis</i> | | L | Tr | RB5-7 | R S | | ML236751 |
| <i>Tolmomyias poliocephalus</i> | | W | RF VF Tr Ig | Ur3;RB1-12;Muc;Cat;Xer;Aja | R S | | LNN2012RB149 |
| <i>Tolmomyias flaviventris</i> | | W | GF RF VF | Ur1,2;TAC;RB1-3,5-7,12;Muc,Aja | R P S | WA2470017 | ML236822 |
| <i>Todirostrum maculatum</i> | | W | S GF RF VF Ig | Ur1,2;TAC;RB1-12;Muc;Cat;Xer;Aja | R P S | WA1222522 | ML236718 |
| <i>Todirostrum cinereum</i> | | U | GF | Ur1,2;TAC;RB1,3,4 | R P S | WA2518875 | ML236768 |
| <i>Todirostrum pictum</i> | | TF | Tr | RB6,7 | | | |
| <i>Poecilotriccus sylvia</i> | | W | GF VF | Ur1-3;TAC;RB1-7,9;Muc | R P S | WA1064269 | WA2522812 |
| <i>Myiornis ecaudatus</i> | | L | VF Tr | Ur3;RB3,5,7,8,11,12 | R S | | LNN2012RB-171 |
| <i>Hemitriccus minor</i> | | L | VF | RB5-12;Cat;Xer;Aja | R P S | WA1218887 | XC138978 |
| <i>Lophotriccus galeatus</i> | | L | VF Tr | RB5,6,8 | S | | |

| Family and species | Status | Distribution | Habitats | Localities | Doc | Photographs | Audio recordings |
|-----------------------------------|--------|--------------|----------------|----------------------------------|-------|-------------|------------------|
| TYRANNIDAE | | | | | | | |
| <i>Zimmerius acer</i> | | L | VF Tr Ig | RB3-7,9-12;Cat;Xer;Aja | R S | | LNN2013RB-312 |
| <i>Zimmerius gracilipes</i> | | DD | Tr | Ur3 | S | | |
| <i>Stigmatura napensis</i> * | (VU) | W | S | RB1,5-7,9-11 | R P S | WA781796 | TOL_120927_12 |
| <i>Inezia subflava</i> | | L | Ig | RB10,12;Xer | R | | ML236750 |
| <i>Inezia caudata</i> * | | U | GF | Ur1,2;TAC;RB1,2 | R P S | WA974718 | WA2354134 |
| <i>Ornithion inerme</i> | | DD | VF Tr | Ur3;RB5 | | | |
| <i>Camptostoma obsoletum</i> | | W | S GF RF Ig | Ur1-3;RB1-12;Muc;Cat;Xer;Aja | R P S | WA2364991 | LNN2014RB-56 |
| <i>Elaenia spectabilis</i> | | DD | S | RB5 | P | WA442566 | |
| <i>Myiopagis gaimardii</i> | | W | GF RF VF Tr Ig | Ur1-3;RB1-12;Muc;Cat;Xer;Aja | P S | WA411491 | |
| <i>Myiopagis caniceps</i> | | TF | Tr | RB8 | R S | | LNN2013RB-364 |
| <i>Myiopagis flavivertex</i> | | W | VF Ig | Ur3;RB1,3-12;Muc;Cat;Xer;Aja | P S | WA1222532 | LNN2013RB-305 |
| <i>Tyrannulus elatus</i> | | W | GF RF VF Ig | Ur2,3;RB1-12;Muc;Cat;Xer;Aja | R S | | XC139808 |
| <i>Capsiempis flaveola</i> | | W | GF RF VF Ig | Ur1,2;RB1-12;Muc;Cat;Xer;Aja | R P S | WA312403 | XC138942 |
| <i>Phaeomyias murina</i> | | U | S GF RF | Ur1,2;TAC;RB1,2,8 | R S | | TOL_140405_06 |
| <i>Serpophaga hypoleuca</i> * | | L | S | RB5,8 | P S | WA781721 | |
| <i>Attila cinnamomeus</i> | | L | VF Ig | Ur3;RB3,5-11;Muc;Cat;Xer;Aja | R P S | WA197829 | TOL_100728_16 |
| <i>Attila spadiceus</i> | | W | Tr | Ur2,3;RB1,3,5,7-10,12 | R P S | WA1966688 | WA1993169 |
| <i>Legatus leucophaeus</i> | | W | GF RF Ig | RB1,3,4,8,10,11;Cat;Xer;Aja | R | | LNN2012RB139 |
| <i>Ramphotrigon ruficauda</i> | | L | Tr | RB5,6,7,10 | R S | | TOL_131004_05 |
| <i>Myiarchus tuberculifer</i> | | DD | RF VF Ig | TAC;RB5 | | | |
| <i>Myiarchus ferrox</i> | | W | S GF RF Ig | Ur1,3;RB1-12;Muc;Xer;Aja | R P | WA137909 | ML236721 |
| <i>Myiarchus tyrannulus</i> | | DD | GF Ig | Ur1,2 | R P | WA2470011 | TOL_140405_06 |
| <i>Rhytipterna simplex</i> | | L | VF Tr Ig | RB4-7,10,12;Muc;Cat;Xer;Aja | P S | WA1790225 | |
| <i>Pitangus sulphuratus</i> | | W | S GF RF Ig | Ur1-3;TAC;RB1-12;Muc;Cat;Xer;Aja | R S | | WA2520846 |
| <i>Philohydor lictor</i> | | W | W S RF Ig | Ur1,2;RB2,5,8-12;Cat | R P S | WA814194 | WA1993178 |
| <i>Myiodynastes maculatus</i> | | W | GF RF VF | Ur1-3;RB2,5,10 | R P S | WA36972 | LNN2013RB-316 |
| <i>Tyrannopsis sulphurea</i> | | DD | VF | RB5 | P S | WA1218889 | |
| <i>Megarynchus pitangua</i> | | W | GF RF Ig | Ur1-3;TAC;RB1-8,10;Muc | P | WA16165 | |
| <i>Myiozetetes cayanensis</i> | | W | S GF RF Ig | Ur1,2;TAC;RB1-10;Muc;Cat | R P S | WA974657 | WA286740 |
| <i>Myiozetetes luteiventris</i> | | DD | VF | Cat | | | |
| <i>Tyrannus albogularis</i> | SV | DD | GF VF | | P | WA826960 | |
| <i>Tyrannus melancholicus</i> | V? | W | S GF RF Ig | Ur1-3;TAC;RB1-12;Muc | P S | WA829417 | |
| <i>Tyrannus savana</i> | V? | W | S GF RF Ig | Ur1-3;RB5,8,9 | P S | WA1681554 | |
| <i>Tyrannus tyrannus</i> | NV | DD | VF | | P | WA1221476 | |
| <i>Empidonomus varius</i> | | DD | GF | Ur3 | | | |
| <i>Conopias trivirgatus</i> | | W | VF Ig | Ur3;RB2,5,9,10;Xer | R P S | WA1219051 | TOL_131015_03 |
| <i>Myiophobus fasciatus</i> | SV | DD | GF | | R P | WA780292 | |
| <i>Pyrocephalus rubinus</i> | | U | GF W | Ur1 | P S | WA1279782 | |
| <i>Fluvicola pica</i> | | U | W S | Ur1,2;TAC | R P S | WA2448038 | WA2493051 |
| <i>Arundinicola leucocephala</i> | | DD | W | RB5 | R P S | WA2380720 | LNN2012RB127 |
| <i>Ochthornis littoralis</i> * | | W | W B | Ur1,3;RB1-10,12;Muc;Cat | R P S | WA1222531 | WA417151 |
| <i>Cnemotriccus fuscatus</i> * | | W | RF | Ur1,2;TAC;RB1-3,5-11;Muc | P S | WA1256432 | LNN2012RB-229 |
| <i>Lathrotriccus euleri</i> | | W | VF Ig | RB2,3,9-11;Cat;Xer | R | | TOL_131010_05 |
| <i>Knipolegus poecilocercus</i> * | | L | VF Ig | RB5,10,11;Cat;Aja | P S | WA1256576 | |
| VIREONIDAE | | | | | | | |
| <i>Cyclarhis gujanensis</i> | | W | GF RF VF Ig | Ur1,2;TAC;RB1-11;Muc;Cat | R P S | WA2518227 | TOL_131003_00 |

| Family and species | Status | Distribution | Habitats | Localities | Doc | Photographs | Audio recordings |
|-----------------------------------|--------|--------------|-------------|----------------------------------|-------|-------------|------------------|
| <i>Vireo chivi</i> | | W | GF RF VF | Ur1,2;RB1,2,8,12 | P S | WA2518881 | |
| <i>Hylophilus thoracicus</i> | | TF | Tr | RB5 | | | |
| <i>Hylophilus semicinereus</i> | | W | GF RF VF Ig | RB1-12;Cat;Xer;Aja | R P S | WA219840 | XC139194 |
| <i>Hylophilus pectoralis</i> * | | U | S GF RF VF | Ur1,2;TAC;RB1,2,5;Muc | R P S | WA202088 | WA283955 |
| <i>Hylophilus muscicapinus</i> | | TF | Tr | RB5,7 | | | |
| CORVIDAE | | | | | | | |
| <i>Cyanocorax violaceus</i> | | U | GF VF | Ur2,3;RB2;Aja | P S | WA2480301 | |
| HIRUNDINIDAE | | | | | | | |
| <i>Pygochelidon melanoleuca</i> * | | W | W | Ur1,2;RB3,12 | P S | WA1751251 | |
| <i>Atticora fasciata</i> * | | L | W | RB5,7-10;Cat;Xer;Aja | R P S | WA9742 | ML236712 |
| <i>Stelgidopteryx ruficollis</i> | | DD | W | | P | WA2669872 | |
| <i>Progne tapera</i> | V? | W | W Ig | TAC;RB2,3,5-12;Muc;Cat;Xer;Aja | R P S | WA397462 | LNN2012RB136 |
| <i>Progne subis</i> | NV | W | W | Ur1;RB8,9;Xer | P | WA1219071 | |
| <i>Progne chalybea</i> | NV | DD | W | RB10 | P | WA1220448 | |
| <i>Tachycineta albiventer</i> | | W | W B Ig | Ur1-3;TAC;RB1-12;Muc;Cat;Xer;Aja | P S | WA816712 | |
| <i>Hirundo rustica</i> | NV | W | W B S | Ur1,2;RB4,5 | P S | WA1252594 | |
| TROGLODYTIDAE | | | | | | | |
| <i>Troglodytes musculus</i> | | W | S GF RF Ig | Ur1;TAC;RB1-5,8,10,11;Cat | R P S | WA2844354 | LNN2012RB31 |
| <i>Campylorhynchus griseus</i> | | U | GF | TAC | R P S | WA2917290 | |
| <i>Pheugopedius coraya</i> | | L | Tr | RB3-9,12 | R P S | TOL | ML236816 |
| <i>Cantorchilus leucotis</i> | | W | GF RF VF | Ur1-3;TAC;RB1-12;Muc;Cat;Xer;Aja | R P S | WA2496314 | ML236803 |
| POLIPTILIDAE | | | | | | | |
| <i>Ramphocaenus melanurus</i> | | L | VF Tr | Ur3;RB3-6,11,12;Aja | R S | | ML236810 |
| <i>Polioptila plumbea</i> | | W | GF RF Ig | Ur1,2;TAC;RB1,2,5,6,8,10;Muc | P S | WA57475 | |
| TURDIDAE | | | | | | | |
| <i>Turdus leucomelas</i> | | W | GF RF Ig | Ur1-3;TAC;RB1,2,10;Cat | P | WA2895666 | |
| <i>Turdus fumigatus</i> | | L | VF | Ur3;RB5-11;Cat;Aja | P S | WA2585737 | WA649315 |
| <i>Turdus nudigenis</i> * | | U | GF RF | Ur1,2;RB5 | R P | WA2522745 | WA1701070 |
| MIMIDAE | | | | | | | |
| <i>Mimus gilvus</i> | | U | GF ant | | R P | WA628454 | |
| PASSERELLIDAE | | | | | | | |
| <i>Ammodramus humeralis</i> | | U | GF ant | Ur1 | | | |
| <i>Ammodramus aurifrons</i> | | L | B S | RB5,6,9,10 | R P S | WA1772703 | ML236756 |
| <i>Arremonops conirostris</i> * | (VU) | L | RF | RB5-8 | R P S | WA1222504 | ML236800 |
| <i>Arremon taciturnus</i> | | L | Tr | RB5,6,9 | R P S | WA2504533 | WA360202 |
| PARULIDAE | | | | | | | |
| <i>Parkesia noveboracensis</i> | NV | DD | S | RB5 | P S | WA2041800 | |
| <i>Setophaga ruticilla</i> | NV | DD | S | RB1 | P | WA2499720 | |
| <i>Setophaga pitiayumi</i> | | U | GF | RB1 | | | |
| <i>Setophaga petechia</i> | NV | W | S GF RF | Ur1;TAC;RB1,2,5,6;Muc | R P S | WA2469208 | LNN2013RB-371 |

| Family and species | Status | Distribution | Habitats | Localities | Doc | Photographs | Audio recordings |
|-----------------------------------|--------|--------------|-----------------|-----------------------------------|-------|-------------|------------------|
| <i>Setophaga striata</i> | NV | DD | GF VF | RB5;Muc | P | WA2518877 | |
| <i>Myiothlypis flaveola</i> | | U | GF | | S | | |
| ICTERIDAE | | | | | | | |
| <i>Psarocolius viridis</i> | | L | Tr | RB6,9,10 | S | | |
| <i>Psarocolius decumanus</i> | | L | RF VF | Ur3;RB3-10,12;Cat;Aja | P S | WA1547820 | |
| <i>Psarocolius bifasciatus</i> | | L | RF VF Ig | RB5,10 | R P S | WA1256575 | WA417149 |
| <i>Cacicus cela</i> | | W | W GF RF VF Ig | Ur1-3;RB2,3,5,9,10,12;Cat;Xer;Aja | R P S | WA1381640 | WA417139 |
| <i>Icterus chrysiocephalus</i> | | DD | Ig | Ur3;RB5 | P S | WA1715334 | |
| <i>Icterus nigrogularis</i> | | U | GF | Ur1;TAC;RB1,2 | P S | WA2376090 | |
| <i>Icterus croconotus*</i> | | U | GF | Ur1,2;TAC;RB2 | R P S | WA2550482 | TOL_140326_04 |
| <i>Molothrus oryzivorus</i> | | DD | S RF VF Ig | RB2,6 | P | WA1519357 | |
| <i>Molothrus bonariensis</i> | | W | S RF | RB5,6;Cat | R P | WA1010149 | LNN2012RBf-21 |
| <i>Sturnella militaris</i> | | DD | S | RB7 | P S | WA2518883 | |
| THRAUPIDAE | | | | | | | |
| <i>Coereba flaveola</i> | | U | GF RF VF Ig | Ur1,2;TAC;RB4,5;Xer;Aja | P S | WA1330108 | |
| <i>Saltator maximus</i> | | DD | VF | RB9;Cat | | | |
| <i>Saltator azarae</i> | | W | GF RF | Ur1,2;TAC;RB1,4-7,9;Muc | R P S | WA2113672 | WA63003 |
| <i>Saltator grossus</i> | | TF | Tr | RB7 | | | |
| <i>Nemosia pileata</i> | | W | GF RF | Ur2;TAC;RB1,2,8,10,11;Muc | P S | WA2470018 | |
| <i>Ramphocelus carbo</i> | | W | S GF RF VF | Ur1-3;RB1-12;Muc;Cat;Aja | P S | WA2401018 | |
| <i>Tachyphonus luctuosus</i> | | W | VF Tr | RB3,9,10;Aja | P | WA1960131 | |
| <i>Tachyphonus cristatus</i> | | TF | Tr | RB12 | P | WA1255494 | |
| <i>Eucometis penicillatus</i> | | L | VF | RB5,9;Aja | R P S | WA261936 | XC138956 |
| <i>Tangara mexicana</i> | | L | RF VF | RB5-10;Cat;Aja | R P S | WA2114197 | |
| <i>Tangara velia</i> | | TF | Tr | RB8 | | | |
| <i>Tangara episcopus</i> | | W | S GF RF Ig | Ur2;TAC;RB1-5,8-12;Muc;Cat;Xer | R P | WA761026 | WA2493863 |
| <i>Tangara palmarum</i> | | U | GF RF | Ur1,3;RB1,3,5 | R P S | WA2437350 | WA385353 |
| <i>Tangara cayana</i> | | U | GF | Ur1,2 | P S | WA811475 | |
| <i>Paroaria gularis</i> | | W | W GF RF VF S Ig | Ur1-3;TAC;RB1-12;Muc;Cat;Xer;Aja | R P S | WA1812379 | XC139256 |
| <i>Dacnis lineata</i> | | TF | Tr | RB8 | | | |
| <i>Dacnis flaviventer</i> | | DD | VF | RB5,9;Cat | R P S | WA1221451 | WA417146 |
| <i>Dacnis cayana</i> | | TF | Tr Ig | RB8 | P | WA2114198 | |
| <i>Cyanerpes caeruleus</i> | | L | VF Tr | RB3,5,8,12 | P S | WA15673 | |
| <i>Hemithraupis guira</i> | | L | VF Tr | RB5,9,10;Cat | P S | WA2004124 | |
| <i>Hemithraupis flavicollis</i> | | TF | Tr | RB8 | S | | |
| <i>Conirostrum speciosum</i> | | U | GF | Ur1,2;TAC;RB1,5,10 | P S R | WA2469211 | ML236766 |
| <i>Conirostrum bicolor*</i> | NT | L | S RF | RB5-11 | R P S | WA1255490 | ML236725 |
| <i>Sicalis columbiana</i> | | L | W | | P | WA1222501 | |
| <i>Sicalis flaveola</i> | | DD | GF ant | Boa Vista | P | WA2518879 | |
| <i>Volatinia jacarina</i> | | W | S | RB8 | P | WA858608 | |
| <i>Sporophila intermedia</i> | | W | GF S | Ur2;RB5,7,9 | R P S | WA2532469 | WA1794561 |
| <i>Sporophila lineola</i> | | DD | S | RB5 | P S | WA824196 | |
| <i>Sporophila castaneiventris</i> | | L | S | RB5,9 | P S | WA2453571 | |
| <i>Sporophila angolensis</i> | | W | GF VF S | RB1,5,6,9,10 | R P | WA2494152 | ML236713 |
| CARDINALIDAE | | | | | | | |

| Family and species | Status | Distribution | Habitats | Localities | Doc | Photographs | Audio recordings |
|--------------------------------|--------|--------------|----------|-------------|-------|-------------|------------------|
| <i>Granatellus pelzelni</i> | | DD | VF | RB5;Cat;Aja | R P S | WA1222751 | ML236820 |
| <i>Cyanoloxia rothschildii</i> | | L | VF Tr | RB4,8,10 | R P S | WA181599 | TOL_100729_06 |
| FRINGILLIDAE | | | | | | | |
| <i>Euphonia plumbea</i> | | DD | Ig | Xer | | | |
| <i>Euphonia finschii</i> * | | U | GF | Ur2;TAC;Muc | R P S | WA2462871 | WA2448842 |
| <i>Euphonia violacea</i> | | DD | Tr | RB5;Aja | R S | WA2028551 | WA2520845 |
| <i>Euphonia chrysopasta</i> | | W | VF Tr | RB1,4,5,11 | R S | | TOL_131001_09 |
| <i>Euphonia minuta</i> | | TF | Tr | RB11 | S | | |
| <i>Euphonia rufiventris</i> | | TF | VF Tr | Xer | R | | LNN2012RB-09 |

* Target species for future monitoring studies (see Table 3).

Status

CR: Critically endangered; NT: Near-threatened; VU: Vulnerable; NV: Northern visitor; SV: Southern visitor; V?: Possible migrant; VAG: Vagrant. In parentheses are Brazilian conservation status (when different from that provided by IUCN).

Distribution pattern. W: Widespread; U: Restricted to the upper Rio Branco; L: Restricted to the lower Rio Branco; TF: restricted to patches of transitional/terra firme forests; DD: Data deficient;

Habitat

W: open water (rivers and lakes); B: beaches and sandbars; S: Sandbar scrub; VF: Varzea Forest; RF: River-edge (or *Cecropia*-dominated) Forest; Ig: Black-water Igapo Forest; Tr: Transitional forest; GF: Gallery Forest; ant: Antropic.

Localities

See Table S2 for specific coordinates of localities used in ISA analysis (RB1-12, URA 1-2, and TAC). RB: Rio Branco; Aja: Ajarani River; Cat: Catrimani River; Muc: Mucajaí River; Uni: Água Boa do Univini River; Xer: Xeruini River.

Documentation

P: Photograph; R: Audio recording; S: Specimen (See Appendix S2). Abbreviations: ML: Macaulay Library, WA: Wikiaves, XC: Xeno-canto; LNN and TOL refer to recordings in the personal collections of the authors which are currently being archived.